



# UNITED STATES PATENT AND TRADEMARK OFFICE

*cen*

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/708,941	04/02/2004	Ti-Wen Yuan	MTKP0058USA	2940
27765	7590	09/20/2007		
NORTH AMERICA INTELLECTUAL PROPERTY CORPORATION P.O. BOX 506 MERRIFIELD, VA 22116			EXAMINER SINGH, HIRDEPAL	
			ART UNIT 2611	PAPER NUMBER
			NOTIFICATION DATE 09/20/2007	DELIVERY MODE ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

winstonhsu.uspto@gmail.com  
Patent.admin.uspto.Rcv@naipo.com  
mis.ap.uspto@naipo.com.tw

## Office Action Summary

Application No.

10/708,941

Applicant(s)

YUAN ET AL.

Examiner

Hirdepal Singh

Art Unit

2611

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 11 July 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-27 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-27 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date: \_\_\_\_\_
- ☐ Notice of Informal Patent Application
- ☐ Other: \_\_\_\_\_

***Response to Arguments***

1. The amendment filed on July 11, 2007 has properly addressed and overcome the objection to the specification (defined the acronyms and correctly described the part in figure 2, i.e. the processing module). Therefore, the objection to the specification is withdrawn.
2. Applicant's arguments filed July 11, 2007 have been fully considered but they are not persuasive.
3. Applicant argues that Stoter do not utilizes any mechanism to detect if the received signal is in discontinuous mode, and adjust the gain value according the mode of the signal. However, Stoter discloses a system and method for automatic gain control suggesting how to adapt the automatic gain control when the signal is in discontinuous mode and the signal frames not valid i.e. the synchronization signal is missing or the preamble of the signal is missing (paragraphs 0005-0006), in this situation the valid signal frames missing so the system detects if the signal is in continuous or discontinuous mode by comparing the power level of the signals with a predefined level (20 in figure 3), according to the result of detection the system controls the gain of the incoming signal (figure 4). If the power is at predefined level or the error is less than certain level the signal has more than predefined valid frames so the automatic control is resumed as normal i.e. as it was previously set without adjusting according to the

Art Unit: 2611

present signal (figure 6). Therefore, examiner believes that the rejection to claims 1, 10 and 19 based on Stoter reference still holds.

4. Applicant argues that Ruohonen discloses determining reference level of AGC according to number of valid radio blocks rather than valid frames in the block.

However, Applicant did not specify in the claim 4 which frame structure he is referring to e.g. TDMA 26 frame, 51 frame, super frame, and hyper frame. Therefore, examiner interpret that the frame structure could be a structure including a synchronization frame, SACCH, SDCCH frame or the frame as shown in figure 1 of Ruohonen, so the rejection to claim 4 based on Ruohonen in view of Stoter still holds.

### ***Claim Rejections - 35 USC § 102***

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

6. Claims 1, 8, 9, 10, 17, 18, 19, 26, and 27 are rejected under 35 U.S.C. 102(b) as being anticipated by Stoter et al. (US 2003/0026363).

Claims 1, 10, and 19: Stoter discloses an Automatic Gain Control method and apparatus for a wireless receiver receiving plurality of data blocks where the transmitted

Art Unit: 2611

data is in discontinuous (Time Discrete Multiple Access) mode (abstract; paragraphs 0003, 0046) comprising;

- a. receiving frames of the signal block, down converting to base band adjusting the value of amplifier by changing the gain depending on the power of the received base band signal (paragraph 0035; paragraph 0036, lines 13-20; figure 3);

- b. determining if the signal block is in discontinuous transmission or rapidly changing mode then using the gain value of the AGC based upon the previous frame (paragraphs 0031, 0043, 0046).

Claims 8, 17, and 26: Stoter discloses an Automatic Gain Control method and apparatus for a wireless receiver as in claims 1, 10, and 19 above, and further discloses that the power of the input base band signal is compared with a desired/target power level, the gain is increased if the power of input base band signal is less than the desired/target power level and vice versa (figure 4; paragraphs 0036-0037).

Claims 9, 18, and 27: Stoter discloses an Automatic Gain Control method and apparatus for a wireless receiver as in claims 8, 10, and 19 above, and further discloses that the input signal after down conversion to base band signal is fed to analog to digital converter in the wireless receiver (figure 3; paragraph 0035).

***Claim Rejections - 35 USC § 103***

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. Claims 2, 4, 5, 7, 11, 13, 14, 16, 20, 22, 23, and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stoter et al. (US 2003/0026363) in view of Ruohonen (US 2002/0163980).

Claims 2, 11, and 20: Stoter discloses an Automatic Gain Control method and apparatus for a wireless receiver as in claims 1, 10, and 19 above, but doesn't explicitly disclose that the transmitter is transmitting the RF signal in frequency hopping manner and the first, second, and third frames corresponds to same frequency channel. Ruohonen discloses a similar Automatic Gain Control method and apparatus for a wireless receiver having discontinuous transmission and further discloses that the transmission is in a frequency hopping manner where the transmitted signal has the information about frequency used by the cell/network, surrounding cells, frequency hopping etc. (abstract; paragraph 0006; paragraph 0007, lines 5-10). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use the frequency hopping in the transmitting radio signals in Stoter by

Art Unit: 2611

switching a carrier among different frequency channels. One would have been motivated to use frequency hopping for transmitting radio signals for making it resistant to noise or interference.

Claims 4, 5, 7, 13, 14, 16, 22, 23, and 25: Stoter discloses an Automatic Gain Control method and apparatus for a wireless receiver as in claims 1, 10, and 19 above, but doesn't explicitly disclose that the signal power level is used as a quality metric to decide if the frame is valid (if quality metric/signal power is greater than a predefined value) to decide whether the signal block is in continuous (valid frames greater than or equal to a predefined number) or discontinuous transmission mode. Ruohonen discloses a similar Automatic Gain Control method and apparatus for a wireless receiver having discontinuous transmission and further discloses that depending on valid frames with reliable estimate of received signal strength in a signal block, the gain of AGC is controlled (abstract; paragraphs 0021, 0023). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use the signal power/strength to estimate the valid frames and then decide depending on number of these valid frames whether the signal block is in discontinuous mode or not. One would have been motivated to make use of number of valid frames to decide a discontinuous signal block for adjusting the gain of the automatic gain controller to accommodate sharp changes in the received signal.

Art Unit: 2611

9. Claims 3, 12, and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stoter et al. (US 2003/0026363) in view of Cahill (US 5,083,304).

Claims 3, 12, and 21: Stoter discloses an Automatic Gain Control method and apparatus for a wireless receiver as in claims 1, 10, and 19 above, but doesn't explicitly disclose that the transmitter is transmitting the RF signal with single channel frequency and second frame is sent immediately after first and third frame is last frame in third signal block. However, Cahill discloses a similar Automatic Gain Control method and apparatus for a wireless receiver having discontinuous transmission and further discloses that the transmitter is transmitting signal using single channel (abstract; column 1, lines 35-58). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use the single channel to send RF signals in Stoter. One would have been motivated to use single channel for transmitter to transmit radio signals to make it useful for the systems using dedicated bandwidth and to keep the system simple and reliable.

10. Claims 6, 15, and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stoter et al. (US 2003/0026363) in view of Ruohonen (US 2002/0163980) in further view of Abramsky et al (US 6,052,566).

Claims 6, 15, and 24: Stoter and Ruohonen disclose an Automatic Gain Control method and apparatus for a wireless receiver as in claims 5, 14, and 23 above, but neither



Art Unit: 2611

explicitly discloses that signal to noise ratio of the signal frame is used to make a quality metric to decide whether or not a block is in discontinuous mode to adjust the gain.

However, Abramsky discloses a similar method for Automatic gain control of wireless receivers, and further discloses that signal to noise ratio is used to adjust the gain of automatic gain controller and the controller uses a viterbi metric to estimate the signal to noise ratio of the signal (abstract; column 6, lines 54-68, and column 7, 1-12).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use the signal to noise ratio metric for estimating the noise in the signal frames to adjust the gain of the automatic gain controller in Stoter. One would have been motivated to adjust the automatic gain controller output according to the signal to noise ratio of the signal frames to make the gain more accurate and within the dynamic range of the receiver.

### ***Conclusion***

11. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Art Unit: 2611

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hirdepal Singh whose telephone number is 571-270-1688. The examiner can normally be reached on Mon-Fri (Alternate Friday Off) 8:00AM-5:00PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Shuwang Liu can be reached on 571-272-3036. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HS  
September 17, 2007



**SHUWANG LIU**  
**SUPERVISORY PATENT EXAMINER**